

# CATALOGUE OF LATE HELLADIC IIIA2 POTTERY FROM TSOUNGIZA

An appendix to “A Deposit of Late Helladic IIIA2 Pottery from Tsoungiza,” by Patrick M. Thomas: *Hesperia* 80 (2011), pp. 171–228; <http://dx.doi.org/10.2972/hesperia.80.2.0171>

Catalogue entries for 327 examples of the LH IIIA2 painted and unpainted pottery and the figurines from Tsoungiza are provided here in tabular format. Each entry gives the catalogue number, the Tsoungiza inventory number, findspot by SU/SMU, and a reference to the item’s illustration. A shortened form for the findspot coordinates is used throughout: the entry 1579-729-459, for example, refers to SU 1579, SMU E20729/N6459. The shape or vessel type follows; when assignment to one of Furumark’s particular shapes (FS) is not possible, a generic term such as “jug” or “basin” is used. A short description indicating the preserved portion of a vessel or figurine is given next, along with any observations concerning obvious wear or burning. Dimensions in centimeters follow.

For painted pottery, a description of the motif is provided; wherever possible, a reference to a particular Furumark motif (FM) is given, and in other cases, a short verbal description. Vessels with purely linear or solidly painted surfaces are not described since these kinds of decoration may be read easily from the figures. A characterization of paint color is provided for decorated pottery and figurines, followed by the item’s fabric fraction (fine, medium-coarse, or coarse). Inclusions are mentioned in the fabric fraction column only when they are atypical or significant for identification, as in the case of Aiginetan cooking-ware fabric. Finally, Munsell readings for the fabric break and surface color are given.

Explicit dates are not provided for each catalogue entry. Numbers 1–28 belong to the upper SUs and generally date to LH IIIA2 (late), with an absolute date of approximately 1360–1330 B.C., while 29–327 belong to the LH IIIA2 (early) deposit, with an absolute date of approximately 1390–1360 B.C. No SMU information was collected for SU 1589. In a few other instances, SMU information is not available.

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
1	1579-2-3	1579-729-459 1579-730-459	5	Piriform jar FS 45	13 pieces mended into 3; 40% rim and neck, 20% shoulder	Diam. (rim) 10–11	FM 64:19 foliate band	Brown	Fine	10YR 6/1	2.5Y 8/2
2	1579-2-11	1579-729-460	5	Large piriform jar (FS 35?)	1 piece; 25% of base, small part of body	Diam. (base) 11; max. p.H. 5.25	Solidly painted out	Brown	Fine	10YR 6/3	10YR 8/2
3	1579-2-6	1579-731-461	5	Small stirrup jar (FS 171?)	1 piece; 15% shoulder	Diam. (max.) 12–14	FM 19 multiple stem or FM 43 concentric circles	Brown	Fine	Close to 7.5YR 7/2	10YR 8/2
4	1576-2-1	1576-725-462 1576-726-462	5	Kylix FS 257	17 pieces mended into 11; 20% rim, small part body, and part of 1 handle; lightly burned	Diam. (rim) ca. 17	FM 21 octopus	Brown	Fine	10YR 6/3–6/4	10YR 8/3–7/3
5	1579-2-9	1576-730-460 1576-730-461 1579-730-462	5	Kylix FS 257	4 joining pieces; 15% rim and small part of body	Diam. (rim) 18–20	FM 21 octopus	Dark brown; added white	Fine	Lighter than 5YR 7/6	Yellower than 10YR 8/3
6	1579-2-4	1579-729-459	5	Kylix FS 257	3 joining pieces; 5% rim and part of 1 handle	Diam. (rim) ca. 19	Probably tentacle of FM 21 octopus	Red	Fine	2.5Y 7/2	10YR 8/3
7	1578-2-5	1578-729-462 1578-728-462	5	Kylix FS 256(?)	10 pieces mended into 3; 8% rim and 10% body; wear on lip	Diam. (rim) 17	Probably FM 19 multiple stem and FM 58 parallel chevrons	Red	Fine	5YR 6/6	Redder than 7.5YR 8/4
8	1579-2-1	1579-729-461 1579-730-459 1579-730-461 1579-731-461	5	Kylix FS 256	11 pieces mended into 2; 5% rim and 5%–20% body	Diam. (rim) 16–17	FM 62 tricurved arch (cf. FM 19 multiple stem) and FM 58 parallel chevrons	Brown	Fine	10YR 7/4	10YR 8/2
9	1579-2-2	1579-730-459	5	Kylix FS 257	2 nonjoining pieces; 7% rim and small part of body; heavily worn	Diam. (rim) 19	FM 62 tricurved arch with chevron-type fill	Red	Fine	Redder than 10YR 7/3	10YR 8/3
10	1576-2-3	1576-727-462	5	Kylix FS 257	3 joining pieces; 7% rim; wear on lip	Diam. (rim) 15–16	Possibly FM 18 hybrid flower; lack of dots around lobes is peculiar; alternative is FM 24 linked whorlshell or FM 19 curved stems	Red	Fine	7.5YR 6/6	7.5YR 8/4
11	1576-2-2	1576-726-462	5	Kylix FS 257	1 piece; 15% rim; wear on lip	Diam. (rim) 15	FM 24 linked whorlshell	Reddish brown	Fine	5YR 7/4	10YR 8/2
12	1576-2-4	1576-728-462 1576-729-462 1578-728-462	5	Kylix FS 264	13 pieces mended into 3; 30% rim, 20% body, and stump of 1 handle; wear on lip	Diam. (rim) 16	Solidly painted in and out	Dark brown	Fine	Lighter than 2.5Y 7/3	N/A
13	1579-2-16	1579-731-461	5	Kylix FS 264	1 piece; 10% rim and 1 handle; heavily worn	Diam. (rim) 17–18	Solidly painted in and out	Very dark brown	Fine	2.5Y 7/2	N/A
14	1578-2-2	1578-731-462	5	Stemmed bowl FS 304	15 pieces mended into 2; 40% rim, 30% body, and trace of horizontal loop handle; wear on lip	Diam. (rim) 17	Solidly painted in and out	Brown	Fine	10YR 7/4	N/A
15	1579-2-5	1579-730-459	5	Deep bowl FS 284(?)	1 piece; small part of body	Max. p.dim. 1.45	FM 75 paneled pattern with FM 25:27 bivalve shell fill	Reddish brown	Fine	7.5YR 7/4	10YR 8/3
16	1578-2-4	1578-729-462	6	Hydria/amphora/jug	2 joining pieces; 25% rim and neck	Diam. (rim) 14	N/A	N/A	Fine	5Y 7/2	5Y 8/2
17	1579-2-19	1579-729-459 1579-730-461	6	Hydria/amphora/jug	2 joining pieces; 50% base and part of lower body	Diam. (base) 10; max. p.H. 6.8	N/A	N/A	Fine	Redder than 10YR 7/4	2.5Y 8/2
18	1579-2-8	1579-729-460	6	Conical cup FS 204	8 pieces mended into 2; complete profile and ca. 50% of whole vessel	Diam. (rim) 11; H. 5.3	N/A	N/A	Fine	10YR 6/4	10YR 7/6
19	1578-2-7	1578-728-462	6	Rounded kylix FS 264	10 pieces mended into 2; 20% rim and part of body	Diam. (rim) 18	N/A	N/A	Fine	5YR 7/4	10YR 8/4
20	1579-2-7	1579-730-461	6	Angular kylix FS 267	9 joining pieces; 30% rim and 50% body	Diam. (rim) 10.5	N/A	N/A	Fine	7.5YR 6/6	Redder than 10YR 8/3
21	1579-2-10	1579-730-459	6	Angular kylix FS 267	13 pieces mended into 2; 35% rim, 70% lower body, and handle	Diam. (rim) 14–15	N/A	N/A	Fine	Redder than 10YR 7/4	10YR 8/3
22	1578-2-6	1578-728-462	6	Angular kylix FS 267	4 joining pieces; 15% rim and small part of lower body	Diam. (rim) 14	N/A	N/A	Fine	Redder than 5YR 7/6	10YR 8/3
23	1578-2-3	1578-729-462	6	Pithos or large jar	1 piece; 8% rim; traces of burning	Diam. (rim) 31	N/A	N/A	Coarse	10YR 3/3–4/3	7.5YR 7/6
24	1579-2-13	1579-730-461	6	Small “orange” jar FS 67	3 joining pieces; ca. 10% rim and part of 1 handle; traces of burning in	Diam. (rim) 18–20	N/A	N/A	Medium-coarse	10YR 5/3–4/3	10YR 7/2

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
25	1579-2-17	1579-731-461	6	Small "orange" jar FS 67	1 piece; 5% rim and part of 1 handle	Diam. (rim) 12-14	N/A	N/A	Medium-coarse	Close to 7.5YR 5/4	7.5YR 7/6
26	1579-2-18	1579-731-460	6	Basin FS 294	1 piece; 3% rim and attachment of horizontal strap handle	Diam. (rim) ca. 25	N/A	N/A	Coarse	Close to 10YR 5/4	2.5YR 5/8
27	1579-2-14	1579-730-460	6	Tripod cooking pot FS 320	1 piece; 1 leg	L. 7.6; W. 2.5	N/A	N/A	Medium-coarse; few small sparkling	5YR 6/8	Close to 7.5YR 7/6
28	1579-2-15	1579-731-461	6	Tripod cooking pot FS 320	1 piece; lower part of leg	L. 6.1; W. 2.5	N/A	N/A	Medium-coarse; many small sparkling	2.5YR 5/8	7.5YR 6/6
29	1583-2-8	1583-731-461	7	Piriform jar (large) FS 23	1 piece; 15% rim and small part of neck; heavy wear on top of rim	Diam. (rim) 16	Concentric bands on top of rim	Brown	Fine	2.5Y 7/2	10YR 8/3
30	1584-2-43	1584-731-462	7	Piriform jar (large)	2 joining pieces; small part of shoulder and scar of horizontal loop handle	Diam. (max.) 28	FM 70 scale pattern	Reddish brown	Fine	10YR 7/4	10YR 8/2
31	1584-2-56	1584-730-462	7	Piriform jar (medium)	2 joining pieces; less than 5% of shoulder	Diam. (max.) 22	FM 70 scale pattern	Brown	Fine	10YR 6/3-5/3	10 YR 8/2
32	1580-2-3	1580-731-462	7	Piriform jar (small) FS 44(?)	3 joining pieces; 15% of shoulder	Diam. (max.) 14-15	FM 46:52 running spiral	Red	Fine	Close to 7.5YR 7/4	Redder than 10YR 8/3
33	1584-2-49	1584-729-459 1584-732-461	7	Piriform jar (small) FS 44(?)	2 pieces; small part of shoulder	Diam. (max.) 13-14	FM 57 net	Brown	Fine; few large sparkling	5YR 6/6	10YR 8/2
34	1584-2-26	1584-730-462	7	Piriform jar (FS 31?)	7 joining pieces; 30% shoulder, 20% lower body, scar of horizontal loop handle	Diam. (max.) 10; max. p.H. 10.7	FM 64:22 foliate band	Brown	Fine	Darker than 10YR 7/4	10YR 8/3
35	1584-2-25	1584-731-462 1584-732-461	7	Piriform jar (small)	10 joining pieces; 40% shoulder and belly, scars of 2 horizontal loop handles	Diam. (max.) 11	FM 53 wavy line	Red	Fine	Redder than 5YR 6/6	7.5YR 7/6
36	1582-2-13	1582-729-460	7	Piriform jar (small)	1 piece; 25% of body around belly	Diam. (max.) 11-12	FM 19 multiple stem	Red to brown	Fine	Redder than 10YR 7/4	10YR 8/3
37	1580-2-2	1580-731-462	7	Piriform jar (small)(?)	2 joining pieces; 20% body	Diam. (max.) 9-10	FM 19 multiple stem	Red	Fine	7.5YR 7/4-7/6	N/A
38	1589-2-7	N/A	7	Piriform jar (small)(?)	1 piece; 10% shoulder and scar of horizontal loop handle	Diam. (max.) ca. 10	FM 64 foliate band	Red	Fine	5YR 6/6	7.5YR 8/2
39	1584-2-75	1584-732-461	7	Piriform jar (small)(?)	1 piece; less than 5% of shoulder and stump of vertical strap handle	Diam. (max.) 14	Uncertain floral pattern	Brown	Fine	10YR 6/3	2.5Y 8/2
40	1581-2-9	1581-731-461	7	Rounded alabastron FS 85	1 piece; 25% body; traces of light burning	Diam. (max.) 12.5	FM 32 rock pattern	Reddish brown to black	Fine	N/A	Redder than 7.5Y 7/4
41	1535-2-1	1535-731-459	7	Rounded alabastron FS 85	1 piece (broken into 3); 25% base, 33% body, stump of horizontal loop handle	Max. p.H. 4.5; Diam. (max.) 8	FM 32:5 rock pattern	Red	Fine	Close to 2.5Y 7/2	10YR 8/3
42	1584-2-3	1584-731-460	7	Straight-sided alabastron FS 94	1 piece; 5%-10% body	Diam. (max.) 26	FM 57 net	Reddish orange	Fine	Close to 7.5YR 7/4	Redder than 10YR 8/4
43	1536-2-1	1536-731-459	7	Straight-sided alabastron FS 94	1 piece; complete vessel except neck, rim, and parts of 3 horizontal loop handles; heavy wear	Max. p.H. 4.8; Diam. (base) 8.05	FM 19:9 angular multiple stem	Red	Fine	7.5YR 7/6	7.5YR 8/4-7/4
44	1584-2-6	1584-730-460 1588-732-461	8	Jug FS 110	13 joining pieces; 15% rim and neck, small part of shoulder, and complete handle	Diam. (rim) 9	Linear; splashed handles	Brown	Fine	5YR 7/4	10YR 8/2
45	1535-2-5	1535-731-459	8	Amphora FS 68	1 piece; 12% rim and 25% neck; wear on lip	Diam. (rim) ca. 13; rim warped	Linear decoration only preserved	Brown	Fine	Close to 10YR 7/4	Close to 2.5Y 8/2
46	1584-2-70	1584-732-462	8	Feeding bottle or jug	4 joining pieces; 20% shoulder and base of neck	Diam. (max.) 12-14	Solidly painted out	Brown	Fine	Lighter than 5YR 7/6	10YR 8/2 (in)
47	1580-2-9	1580-730-462	8	Feeding bottle or jug	5 joining pieces; 20% shoulder	Diam. (max.) 10	Solidly painted out	Red	Fine	10YR 7/4-6/4	10YR 8/3
48	1584-2-31	1584-730-462 1584-732-462	8	Juglet FS 112	6 joining pieces; 60%-70% shoulder and base of neck, and scar of vertical strap handle	Diam. (max.) 8	FM 46 running spiral with inverted FM 59 V-pattern accessory	Reddish brown	Fine	7.5YR 7/4	10YR 8/2
49	1589-2-8	N/A	8	Juglet	3 joining pieces; complete base, 20% lower body, and stump of 1 vertical strap handle	Max. p.H. 3.6; Diam. (max.) 6; Diam. (base) 2.1	Linear decoration only preserved	Red	Fine	5YR 7/6	Redder than 10YR 8/3

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
50	1554-2-1	1554-732-462 1554-732-461 1583-731-461 1583-730-459	8	Hydria FS 129	39 joining pieces; 100% base, 90% body, small part of neck, 1 horizontal loop handle and stump of other, stump of vertical strap handle	Max. p.H. 17.1; Diam. (base) 5.1; Diam. (max.) 15.5	FM 49:27 curve-stemmed spiral or FM 51 stemmed spiral	Dark brown	Fine	7.5YR 6/2	5Y 8/2
51	1580-2-11	1580-731-462	8	Handmade miniature feeding bottle FS 126	1 piece; part of spout and small part of body	Diam. (max.) 4-5; Diam. (spout) 1.6	Irregular wavy stripes	Red	Fine	7.5YR 7/6	10YR 8/2
52	1584-2-52	1584-729-461	8	Beaked jug FS 145	1 piece; small part of rim with cut-away portion	Diam. (rim) ca. 8	Linear decoration only preserved	Red	Fine	5YR 6/6	5YR 8/2-8/3
53	1589-2-2	N/A	N/A	Large jug	20 pieces mended into 11; small part of body and scar of vertical loop handle	N/A	Probably FM 21 octopus	Red	Fine	5YR 6/6	7.5YR 8/4-7/4
54	1588-2-2	1588-731-461	8	Small stirrup jar FS 166?	7 joining pieces; 30% shoulder and body, and stump of 1 vertical strap handle	Diam. (max.) 11	FM 45 U-pattern	Reddish orange	Fine	5YR 7/6	Close to 7.5YR 8/4
55	1580-2-1	1580-731-462 1583-730-462	8	Globular stirrup jar FS 171	14 pieces mended into 7; all base, 50% body, base of false neck, and 1 vertical strap handle scar; heavily worn	Max. p.H. 8.7; Diam. (max.) 10; Diam. (base) 3.5	FM 19:11 angular multiple stem	Reddish brown	Fine	7.5YR 7/6	10YR 8/4
56	1552-2-1	1552-732-461	8	Globular stirrup jar FS 171	4 joining pieces; 30% body	Diam. (max.) 10; max. p.H. 5.8	FM 19 multiple stem or FM 64 foliate band	Reddish orange	Fine	10YR 7/4	10YR 8/3
57	1588-2-16	1588-731-461	8	Large domestic stirrup jar FS 164	3 joining pieces; false neck and part of disk	Max. p.dim. 7.0	Linear decoration only preserved, with (intentional?) splash	Brown	Coarse	5YR 6/6	7.5YR 8/4
58	1556-2-1	1556-732-461	8	Flask FS 190	12 joining pieces; complete base, 65% body, and lower stumps of handles; heavily burned on 1 side out	Max. p.H. 7.5; Diam. (base) 3.5; Diam. (max.) 10	FM 64 foliate band (cf. FM 64:17) in handle zone; FM 60 N-pattern in narrow shoulder zone; FM 64:19 foliate band in belly zone	Reddish orange	Fine	7.5YR 7/4	Lighter than 7.5YR 8/4
59	1588-2-9	1588-732-461	8	Handmade askoid vase	3 joining pieces; part of spout and body	Max. p.dim. 8.4	Large circle at top of vase; possible traces of FM 19 multiple stem along edge	Red	Fine	7.5YR 7/6	7.5YR 8/4
60	1584-2-51	1584-729-462	9	Cup FS 219/220	1 piece; 10% rim and upper body; wear on lip	Diam. (rim) 12	FM 77 stipple	Red to brown	Fine	10YR 6/4	7.5YR 7/4-8/4
61	1588-2-46	1588-731-462	9	Cup FS 219/220	8 pieces mended into 2; 5% rim, 10%-15% body, complete base, and vertical strap handle; heavy wear on surfaces	H. 5.1; Diam. (rim) 11; Diam. (base) 2.8	FM 77 stipple	Red	Fine	5YR 7/6	10 YR 8/3
62	1588-2-47	1588-732-462	9	Cup FS 219/220	5 pieces mended into 2; 80% base and small part body	Max. p.H. 1.7; Diam. (base) 3.1	Spiral and uncertain pattern on interior	Red	Fine	5YR 7/6	10YR 8/3
63	1588-2-60	1588-731-462	9	Cup FS 220	1 piece; less than 5% rim	Diam. (rim) ca. 10	Probably FM 49 curve-stemmed spiral	Red	Fine	5YR 7/6	10YR 8/3
64	1535-2-8	1535-731-459	9	Cup	1 piece; very small part of body near rim	Diam. (max.) 9	Loop filled with diagonal lines	Reddish brown to brown	Fine	10YR 7/3	10YR 8/3
65	1589-2-13	N/A	9	Cup	1 piece; 30% base, 40% body, and trace of vertical handle; intense burning in and out in 1 area: possible secondary reuse as lamp	Max. p.H. 3.2; Diam. (base) 3	Linear decoration only preserved	Brown	Fine	10YR 6/2	10YR 8/4 (in) 2.5Y 8/2 (out)
66	1535-2-2	1535-731-459	9	Mug FS 226	1 piece; 10% of rim; wear on edge of rim	Diam. (rim) 16	Uncertain floral pattern; cf. FM 19 multiple stem	Red	Fine	5YR 6/6	7.5YR 8/4-7/4
67	1582-2-5	1582-730-460	9	Mug FS 226	10 joining pieces; 40% base and small part of body; heavily worn	Max. p.H. 4.3; Diam. (base) 11	Linear only preserved	Red	Fine	5YR 7/6	10YR 8/3
68	1584-2-100	1584-730-462	9	Mug FS 226	1 piece; 5% rim	Diam. (rim) 14	FM 49 curve-stemmed spiral	Reddish brown	Fine	5YR 7/6	7.5YR 8/4
69	1588-2-8	1588-732-461	9	Mug FS 226	2 joining pieces; 7% rim; heavy wear on rim	Diam. (rim) 18	FM 53 wavy line	Red	Fine	5YR 7/6	10YR 8/3
70	1584-2-30	1584-732-462	9	Carinated conical cup FS 230	1 piece; 10% body	Diam. (max.) 6.55	FM 49 curve-stemmed spiral	Red to dark brown	Fine	Redder than 10YR 6/4	7.5YR 8/4-7/4
71	1554-2-2	1554-732-461	9	Dipper? Cup?	1 piece; 20% of whole vessel with nearly complete profile except tip of rim, possible scar of vertical strap handle on upper body	Max. p.H. 4.5; Diam. (base) 1.6; Diam. (max.) 6.5	Linear decoration only preserved	Brown to red	Fine	5YR 7/4-7/6	10YR 8/3
72	1557-2-6	1557-732-460	9	Cup	1 piece; 30% base and part of lower body	Diam. (base) 3-4	Solidly painted in and out; polished in and out	Red	Fine	7.5YR 7/6-6/6	7.5YR 8/4
73	1580-2-5	1580-731-462	9	Cup	3 joining pieces; complete base, 50% lower body, scar of vertical strap handle; heavily worn	Max. p.H. 3.7; Diam. (base) 3.0	Solidly painted in and out	Red	Fine	7.5YR 7/4	7.5YR 7/6

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
74	1584-2-46	1584-730-462	9	Deep cup	7 joining pieces; complete base, 20% lower body, edge of handle scar	Max. p.H. 5.3; Diam. (base) 5.4	Solidly painted in and out	Red	Fine	7.5YR 6/6-7/4	N/A
75	1588-2-70	1588-731-462	9	Small cup	3 joining pieces; 25% rim and upper body; wear on lip	Diam. (rim) 6.5-7.0	Solidly painted in and out	Red	Fine	5YR 6/6	N/A
76	1535-2-3	1535-732-459	10	One-handled goblet FS 263	1 piece (broken into 6); 15% rim and body; wear on lip	Diam. (rim) 10-11	Solidly painted in; thin rim band out	Brown	Fine	Close to 5YR 7/6	10YR 8/3
77	1584-2-10	1584-730-462 1584-731-462 1584-732-462	10	One-handled goblet FS 263	13 pieces mended into 3; 60% rim and body	Diam. (rim) 12	Solidly painted in; thin irregular rim band out	Red	Fine; some very small sparkling	7.5YR 6/6	7.5YR 8/4
78	1584-2-77	1584-732-461 1584-732-462	10	One-handled goblet FS 263	4 joining pieces; 30% rim; wear on lip	Diam. (rim) 11	Solidly painted in; thin rim band out	Red	Fine	5YR 7/6	Redder than 10YR 8/4
79	1588-2-24	1588-732-462	10	One-handled goblet FS 263	32 joining pieces; 30% rim, 50% body, complete stem, and stump of vertical strap handle; heavy wear on lip	Max. p.H. 9.8; Diam. (rim) 12	Solidly painted in; thin rim line out	Red	Fine	5YR 6/6	Close to 5YR 8/2
80	1559-2-8	1559-732-460	10	One-handled goblet FS 263	1 piece; 60% base and small part of lower body	Max. p.H. 2.3; Diam. (base) 5.4	Solidly painted in, except possible reserved circle in center of floor	Reddish brown	Fine	Close to 7.5YR 7/6	10YR 8/2
81	1584-2-12	1584-731-461	10	One-handled goblet FS 263	2 joining pieces; 90% base, all stem, and small part of lower body	Max. p.H. 3.9; Diam. (base) 4.65	Solidly painted in	Dark brown	Fine	Redder than 2.5Y 7/4	2.5Y 8/2
82	1584-2-58	1584-730-462	10	One-handled goblet FS 263	5 joining pieces; 90% base and stem, and small part of body	Max. p.H. 5.2; Diam. (base) 5.2	Solidly painted in	Washy brown	Fine	10YR 7/2-7/3	10YR 8/3
83	1584-2-69	1584-732-462	10	One-handled goblet FS 263	1 piece; 50% base and small part of lower body; worn on base edge	Max. p.H. 4.4; Diam. (base) 5.7	Solidly painted in	Brown	Fine	5YR 7/6-6/6	2.5Y 8/2
84	1584-2-83	1584-731-461	10	One-handled goblet FS 263	1 piece; 10% base edge and small part of lower body; burned patch on exterior	Max. p.H. 2.4; Diam. (base) 6.2	Solidly painted in; polished in	Brown	Fine	7.5YR 7/2-10YR 7/3	10YR 8/3
85	1589-2-5	N/A	10	One-handled goblet FS 263	1 piece; complete base except a few chips and small part of lower body	Max. p.H. 4.3; Diam. (base) 5.0	Solidly painted in; polished in	Dark brown	Fine	7.5YR 7/4	10YR 8/3
86	1580-2-6	1580-728-462	11	Kylix FS 256	1 piece; ca. 5% rim; heavy wear on lip	Diam. (rim) 16	FM 19 multiple stem	Red	Fine	Redder than 10YR 7/4	Yellower than 5YR 8/4
87	1582-2-6	1582-730-460	11	Kylix FS 256	3 joining pieces; 20% body	Diam. (max.) 15	FM 24 linked whorlshell	Red	Fine	5YR 6/6	7.5YR 8/4
88	1582-2-1	1582-729-459 1583-729-459	11	Kylix FS 256	18 joining pieces mended into 9; 20% rim and body, and 60% base; burned	Diam. (rim) 16	FM 61:11 vertical zigzag	Reddish brown	Fine	7.5YR 7/6-6/4	10YR 8/2
89	1582-2-14	1582-730-460 1582-729-460	11	Kylix FS 256	5 joining pieces; 20% body	Diam. (max.) 15-16	FM 19 multiple stem or FM 62 tricurved arch	Red	Fine	10YR 7/4	Lighter than 10YR 8/3
90	1584-2-11	1584-731-461	11	Kylix FS 256	1 piece; 5% rim and upper body	Diam. (rim) 15	FM 49 curve-stemmed spiral	Red	Fine	5YR 6/6	Redder than 10YR 8/3
91	1584-2-15	1584-732-461	11	Kylix FS 256	2 pieces; 20% rim; some wear on lip	Diam. (rim) 13	FM 49 curve-stemmed spiral	Red to reddish brown	Fine	5YR 6/6	7.5YR 8/4
92	1584-2-22	1584-731-461 1584-732-462	11	Kylix FS 256	8 pieces mended into 3; 30% rim and upper body, and stumps of 1 vertical strap handle	Diam. (rim) 16	Probably FM 46 running spiral	Brown	Fine	10YR 7/4	10YR 8/2
93	1584-2-8	1584-730-459	11	Kylix FS 256	3 joining pieces; 10% rim and upper body, and trace of scar for vertical strap handle	Diam. (rim) 14	FM 49 curve-stemmed spiral	Reddish brown	Fine	5YR 7/6-6/6	10YR 8/3-7.5YR 8/4
94	1589-2-19	N/A	11	Probably kylix FS 256	1 piece; part of body	Diam. (max.) 16	Uncertain pattern	Brown	Fine	5Y 7/3	5Y 8/2
95	1588-2-13	1584-731-461 1588-731-461	11	Kylix FS 256	16 pieces mended into 6; 20% rim and body; wear on lip	Diam. (rim) 13-14	FM 49 curve-stemmed spiral	Brown to brownish red	Fine	5YR 7/6	10YR 8/3-7.5YR 8/4
96	1584-2-72	1584-730-462	11	Kylix or goblet	1 piece; small part of body	Diam. (max.) 20-25	Possibly FM 62 tricurved arch with FM 19 angular multiple stem fill	Brown	Fine	5YR 7/6	10YR 8/3
97	1535-2-7	1535-731-459	11	Kylix	1 piece; small part of body	Diam. (max.) ca. 14	Stem of FM 18 voluted flower	Red	Fine	10YR 7/4-7/6	Yellower than 7.5YR 8/4
98	1587-2-6	1587-732-462	11	Goblet FS 255	1 piece; less than 5% rim and upper body	Diam. (rim) 12-14	Probably FM 49 curve-stemmed spiral	Red	Fine	7.5YR 6/4-6/6	Yellower than 7.5YR 8/4
99	1589-2-6	N/A	11	Goblet FS 255 or kylix FS 256	1 piece; less than 5% rim; heavy wear on lip	Diam. (rim) ca. 17	FM 57 net	Red to brown	Fine	10YR 6/4-6/6	10YR 8/3
100	1557-2-3	1557-732-460 1540-731-459	11	Goblet?	4 pieces mended into 2; 10% rim and small part of upper body	Diam. (rim) 21-22	Linear decoration only preserved	Reddish orange	Fine	Redder than 7.5YR 7/6	7.5YR 7/4

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
101	1557-2-1	1557-732-460	12	Kylix FS 264	1 piece; 7% rim and 25% body; wear on lip	Diam. (rim) 14	Solidly painted in and out; outer surface is polished	Dark brown	Fine	2.5Y 7/4	N/A
102	1555-2-1	1555-732-461	12	Kylix FS 264	3 joining pieces; 15% rim and upper body	Diam. (rim) 15	Solidly painted in and out	Brown	Fine	2.5Y 7/4	N/A
103	1559-2-6	1559-732-460	12	Kylix FS 264	1 piece; 12% rim and upper body; wear on lip	Diam. (rim) 12	Solidly painted in and out; inner and outer surfaces are polished	Red	Fine	Redder than 7.5YR 7/4	N/A
104	1554-2-3	1554-732-461 1554-732-462	12	Kylix FS 264	7 joining pieces; 25% rim and upper body; 1 vertical strap handle; wear over surfaces	Diam. (rim) 16	Solidly painted out and in	Washy red	Fine	5YR 6/6	N/A
105	1580-2-4	1580-731-462	12	Kylix FS 264	7 pieces mended into 3; 30% rim and upper body; 1 vertical strap handle; heavy wear on lip	Diam. (rim) 14	Solidly painted in and out	Red	Fine	5YR 6/6	N/A
106	1581-2-3	1581-731-462	12	Kylix FS 264	6 joining pieces; 20% rim and body	Diam. (rim) 12	Solidly painted in and out; polished in and out	Red with dark brown streaks	Fine	5YR 7/6	N/A
107	1581-2-6	1581-729-462	12	Kylix FS 264	8 joining pieces; 10%–15% rim and small part of body; some wear on rim	Diam. (rim) 19–20	Solidly painted in and out; polished in and out	Brown	Fine	Lighter than 2.5Y 7/2	N/A
108	1583-2-10	1583-731-460	12	Kylix FS 264	4 joining pieces; 2% rim and 10% body	Diam. (rim) 18	Solidly painted in and out; polished in and out	Red	Fine	5YR 6/8	N/A
109	1535-2-6	1535-731-459	12	Kylix FS 264	1 piece; 10% rim and upper body; slight wear on lip	Diam. (rim) 19	Solidly painted out and in	Red	Fine	7.5YR 7/6	N/A
110	1584-2-47	1584-730-462	12	Kylix FS 264	3 joining pieces; 15% rim and upper body; slight wear on lip	Diam. (rim) 16	Solidly painted in and out; polished in and out	Red	Fine	10YR 7/6–7/4	N/A
111	1584-2-38	1584-732-461 1584-732-462	12	Kylix FS 264	26 pieces mended into 6; less than 5% rim, 30% body, top of stem, and stumps of 1 vertical strap handle; center of floor worn; burned out	Diam. (rim) 16	Solidly painted in and out	Red	Fine	10YR 7/6–7/4	N/A
112	1584-2-71	1584-732-462	12	Kylix FS 264	4 joining pieces; 10% rim and upper body; heavy wear on lip	Diam. (rim) 13	Solidly painted in and out	Brown to red	Fine	5YR 7/6	N/A
113	1584-2-84	1584-731-461	12	Kylix FS 264	2 joining pieces; 10% rim; light wear on lip	Diam. (rim) 14	Solidly painted in and out	Red to brown	Fine	5YR 7/6	N/A
114	1584-2-61	1584-732-461 1584-732-462	12	Kylix FS 264	3 joining pieces; 25% rim and stump of 1 handle; heavy wear on lip	Diam. (rim) 14–15	Solidly painted in and out; polished in and out	Red	Fine	7.5YR 7/6	N/A
115	1584-2-114	N/A	12	Kylix FS 264	1 piece; 15% rim and upper body; heavy wear on lip	Diam. (rim) 15	Solidly painted in and out; polished in and out	Red to brownish red	Fine	2.5YR 6/8–5/6	N/A
116	1584-2-41	1584-729-460 1584-731-460 1584-731-461 1584-732-461	12	Kylix FS 264	5 pieces mended into 2; 50% rim and stumps of vertical strap handles	Diam. (rim) 16–18	Solidly painted in and out; lightly polished in and out	Brown to red-dish brown	Fine	2.5Y 7/4–7/2	N/A
117	1584-2-113	N/A	12	Kylix FS 264	2 joining pieces; 10% rim and upper body, and scars of 1 vertical strap handle	Diam. (rim) 18	Solidly painted in and out; polished in	Brown to red-dish brown	Fine	5YR 6/3	N/A
118	1584-2-90	1584-731-461 1584-731-462	13	Kylix FS 264	6 pieces mended into 3; 15% rim and body, and stump of vertical strap handle	Diam. (rim) 15	Solidly painted in and out; polished in and out	Dark red to brown	Fine	10YR 7/4	N/A
119	1584-2-91	1584-731-462	13	Kylix FS 264	3 joining pieces; 15% rim and trace of scar of vertical strap handle; some wear on lip	Diam. (rim) 18	Solidly painted in and out; polished in and out	Dark brown	Fine	2.5Y 7/2	N/A
120	1588-2-42	1588-732-462	13	Kylix FS 264	2 joining pieces; 8% rim and 20% upper body; wear on lip; possible traces of burning out	Diam. (rim) 14	Solidly painted in and out	Brown	Fine	Close to 7.5YR 4/0	N/A
121	1584-2-87	1584-731-462	13	Kylix FS 264	4 joining pieces; 15% rim and most of 1 vertical strap handle; wear on lip	Diam. (rim) 17–18	Solidly painted in and out	Red	Fine	5YR 7/4	N/A
122	1588-2-58	1588-731-461	13	Kylix FS 264	2 joining pieces; 7% rim and upper body	Diam. (rim) 14	Solidly painted in and out; polished in and out	Dark brown	Fine	10YR 7/3	N/A
123	1584-2-99	1584-730-462	13	Kylix FS 264	4 joining pieces; less than 5% rim and 10% body; heavy wear on lip	Diam. (rim) 13–14	Solidly painted in and out; polished in and out	Red	Fine	2.5YR 6/8	N/A
124	1584-2-96	1584-731-462	13	Kylix FS 264	2 joining pieces; 15% rim and body; wear on lip	Diam. (rim) 13	Solidly painted in and out	Dark brown	Fine	10YR 7/3	N/A
125	1584-2-88	1584-731-462	13	Kylix FS 264	9 joining pieces; 25% rim; heavy wear on lip	Diam. (rim) 14	Solidly painted in and out; polished in and out	Red	Fine	10YR 7/4	N/A

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
126	1588-2-18	1588-731-462	13	Kylix FS 264	11 pieces mended into 3; 30% rim and upper body, and 1 vertical strap handle; heavy wear on lip	Diam. (rim) 14–15	Solidly painted in and out	Red	Fine	5YR 7/6	N/A
127	1584-2-19	1584-729-462	13	Kylix FS 264	10 joining pieces; 30% rim and upper body; wear on lip	Diam. (rim) 14	Solidly painted in and out; polished in and out	Dark brown	Fine	Redder than 7.5YR 6/6	N/A
128	1589-2-17	N/A	13	Kylix FS 264	2 joining pieces; 25% rim and 15% upper body	Diam. (rim) 15	Solidly painted in and out	Dark brown	Fine	10YR 6/4–7.5YR 7/4	N/A
129	1588-2-19	1588-731-462	13	Kylix FS 264	10 pieces mended into 2; 30% rim and body, and stumps of 1 handle; heavy wear on lip and interior near floor heavily worn	Diam. (rim) 15	Solidly painted in and out; polished in and out	Red	Fine	5YR 6/6–5/6	N/A
130	1588-2-3	1588-731-461	13	Kylix FS 264	5 joining pieces; 25% rim and body, and scar of 1 vertical strap handle; wear on lip	Diam. (rim) 15	Solidly painted in and out; polished in and out	Reddish orange	Fine	5YR 6/6	N/A
131	1589-2-1	N/A	13	Kylix FS 264 or goblet	2 joining pieces; 10% rim and body; heavy wear on lip	Diam. (rim) 18–19	Solidly painted in and out; polished in and out	Red	Fine	7.5YR 7/4	N/A
132	1556-2-3	1556-732-461	13	Kylix FS 264	3 joining pieces; 20% base, complete stem, and small part of lower body; wear on floor	Max. p.H. 6.7; Diam. (base) 8.25	Solidly painted in and out except reserved area on edge of base	Dark brown to reddish brown	Fine	10YR 6/2	N/A
133	1584-2-101	1584-730-462	13	Kylix FS 264	1 piece; stem and 5%–10% lower body	Max. p.H. 8.2	Solidly painted in and out	Red	Fine	7.5YR 7/4–7/6	N/A
134	1588-2-20	1588-731-462	13	Kylix FS 264	4 joining pieces; 60% base, complete stem, and small part of lower body	Max. p.H. 6.8; Diam. (base) 7.4	Solidly painted in and out	Red	Fine	5YR 7/6	N/A
135	1559-2-2	1559-732-460	13	Kylix FS 264	4 joining pieces; 40% base, complete stem, and small part of lower body	Max. p.H. 7.7; Diam. (base) 8.0	Solidly painted in and out; reserved area on edge of base; inner and outer surfaces polished	Brown	Fine	Redder than 7.5YR 7/6	10YR 8/3
136	1582-2-2	1582-729-461 1583-730-460	13	Kylix FS 267	11 pieces mended into 3; 60% rim, 20% body, stumps of vertical strap handle; wear on surfaces	Diam. (rim) 11–13	Solidly painted in and out	Reddish orange	Fine	7.5YR 7/4	N/A
137	1581-2-2	1581-731-462	13	Kylix FS 269	3 joining pieces; 25% rim and upper body, 1 vertical strap handle	Diam. (rim) 11–12	Solidly painted in and out; polished in and out	Reddish orange	Fine	Redder than 5YR 7/6	N/A
138	1588-2-61	1588-732-462	13	Kylix FS 269	3 joining pieces; 2% rim and stump of vertical strap handle	Diam. (rim) 12–13	Solidly painted in and out	Red to brown	Fine	7.5YR 7/4	N/A
139	1580-2-10	1580-730-462	14	Krater	1 piece; small part of body near rim	Diam. (max.) 30	FM 46 framed running spiral	Brown	Fine	10YR 7/2	10YR 8/3
140	1581-2-10	1581-730-461	14	Krater	1 piece; small part of body under rim	Diam. (max.) 32	FM 46 running spiral with zwickel	Brown	Fine	10YR 6/4	2.5Y 8/2 (out); 10YR 8/4–7/4 (in)
141	1583-2-22	1583-729-461	14	Krater	1 piece; small part of body and swelling for vertical strap handle	Diam. (max.) 30	Uncertain; perhaps FM 51 stemmed spiral or variant of multiple stem	Dark brown	Fine	10YR 6/3	10YR 8/3
142	1583-2-23	1583-729-460	14	Krater	1 piece; part of vertical strap handle	Max. p.L. 6.2	“Ladder” pattern	Brown	Fine	Redder than 10YR 7/6	10YR 8/3
143	1584-2-2	1584-731-460 1584-731-461	14	Krater	6 pieces mended into 2; 8% rim, small part of body, and trace of handle scar	Diam. (rim) 35	Uncertain main pattern; FM 20 fish; FM 58 parallel chevrons and possible FM 63 hatched loop	Red	Fine	2.5Y 7/4	10YR 8/3
144	1584-2-44	1584-731-462	14	Krater	1 piece; small part of body near rim; fabric spalled/split near tip of rim	Diam. (max.) 35–38	FM 11 papyrus	Reddish brown	Fine	2.5Y 7/2	10YR 8/3
145	1584-2-45	1584-731-462	14	Krater	1 piece; 9% rim; very heavy wear on lip	Diam. (rim) 29	Uncertain pattern	Red	Fine; smooth grayish sandy	10YR 6/4–6/6	5YR 7/6
146	1583-2-19	1583-729-460	14	Krater	1 piece; small part upper body	Diam. (max.) 28–30	Possibly FM 18 unvoluted flower	Brown	Fine	2.5Y 7/2	2.5Y 8/2
147	1589-2-10 + 1584-2-53	1584-729-461	14	Krater	2 nonjoining pieces; 5% body	Diam. (max.) 30–31	FM 70 scale pattern	Brown to red	Fine	Lighter than 10YR 6/4	10YR 8/3
148	1587-2-7	1587-732-462	14	Krater or large piriform jar	1 piece; 20% base and lower body; wear on exterior surface	Diam. (base) 11; max. p.H. 6.9	Linear decoration only preserved	Brown	Fine	10YR 6/4	5YR 6/6
149	1584-2-76	1584-732-461	14	Krater	6 joining pieces; 20% base and very small part of lower body	Diam. (base) 12	Solidly painted out	Brown	Fine	Grayer than 10YR 6/3	10YR 8/3

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
150	1580-2-8	1580-729-462	15	Deep bowl FS 283	1 piece; part of body	Diam. (max.) 17	FM 60 N-pattern	Reddish orange	Fine	7.5YR 6/6	5YR 7/4-7/6
151	1583-2-5	1583-729-459	15	Deep bowl FS 283	1 piece; 15% rim	Diam. (rim) 14	FM 48:5 quirk	Red	Fine	5YR 6/6	Lighter than 7.5YR 8/4
152	1587-2-2	1587-732-462	15	Deep bowl FS 283	7 joining pieces; 15% rim and upper body	Diam. (rim) 14	Alternating groups of FM 19 multiple stem, angular and curved variants; two grooves under rim out	Reddish brown	Fine	5YR 7/6	10YR 8/3
153	1587-2-5	1587-732-462	15	Deep bowl FS 283	1 piece; 12% rim and small part of upper body; heavy wear over surfaces	Diam. (rim) 14-15	Uncertain pattern	Red	Fine	5YR 7/6	7.5YR 8/4
154	1554-2-6	1554-732-461 1588-732-461 1587-732-462	15	Probably deep bowl FS 283	10 joining pieces; 85% base and small part of lower body	Diam. (base) 6.0; max. p.H. 4.3	Linear decoration only preserved	Red	Fine	10YR 7/3	7.5YR 8/4
155	1580-2-13	1580-730-462	15	Conical bowl FS 300/301	3 joining pieces; 40% base and 20% body, partial scar of horizontal loop handle	Max. p.H. 5.0; Diam. (base) 6	Linear decoration only preserved	Red	Fine	5YR 7/8	10YR 8/3
156	1559-2-5	1559-732-460 1584-732-460 1584-730-461 1584-731-461	15	Stemmed bowl FS 304	10 pieces mended into 2; 25% rim and body, scar of 1 horizontal loop handle; wear on lip	Diam. (rim) 16	Broad wavy band	Brown	Fine	Redder than 10YR 7/3	2.5Y 8/2
157	1584-2-18	1584-729-462 1584-731-462 1584-732-461 1584-732-462	15	Stemmed bowl FS 304	28 pieces mended into 4; complete profile, including 90% base, complete stem, 25% body and rim, and 1 horizontal loop handle; wear on lip	H. 14.3; Diam. (rim) 15.0; Diam. (base) 6.9	FM 77 stipple	Brown	Fine	Darker than 2.5Y 8/2	10YR 8/4 (in); 2.5Y 8/2 (out)
158	1584-2-13	1584-731-461	15	Stemmed bowl FS 304	1 piece; less than 5% of body	Diam. (max.) 18	FM 77 stipple	Red	Fine	5YR 6/6	7.5YR 8/4
159	1583-2-14	1583-731-460	15	Stemmed bowl or truncated stemmed bowl	1 piece; 5% rim; heavy wear on lip	Diam. (rim) ca. 27	Broad wavy band	Red	Fine	5YR 5/8-6/8	5YR 7/6
160	1588-2-65	1588-732-462	15	Stemmed bowl FS 304	1 piece; 5% rim and 10% upper body; heavy wear on lip	Diam. (rim) 15	Linear decoration only preserved out; solidly painted in	Brown	Fine	5YR 7/6-6/6	10YR 8/3
161	1583-2-20	1583-729-459	15	Stemmed bowl FS 304	2 joining pieces; small part of body	Diam. (max.) 17	FM 19 angular multiple stem	Red	Fine	10YR 7/4	Yellower than 5YR 8/3
162	1584-2-89	1584-731-462	15	Stemmed bowl FS 304	1 piece; complete base except few small chips; perhaps recut as lid	Max. p.H. 2.4; Diam. (base) 6.2	Solidly painted out except base edge	Red	Fine	5YR 7/6	10YR 8/3
163	1584-2-104	1584-730-459	15	Stemmed bowl FS 304	1 piece; 40% base edge, complete stem, and very small part of lower body	Max. p.H. 2.7; Diam. (base) 6-7	Linear decoration only preserved	Red	Fine	2.5Y 8/4	10YR 8/3
164	1583-2-24	1583-729-459 1583-729-461 1589	15	Truncated stemmed bowl(?)	6 pieces mended into 3; 10% base and part of lower body	Diam. (base) 8	Linear decoration only preserved	Reddish orange	Fine	Close to 5YR 7/6	Lighter than 7.5YR 8/4
165	1588-2-4	1584-731-461 1588-731-461 1588-731-462 1588-732-462	16	Stemmed bowl FS 304	33 joining pieces; 75% rim and body, and both horizontal loop handles; heavy wear on lip	Diam. (rim) 17.6	Solidly painted outside and on interior of rim	Black	Fine	Redder than 10YR 7/4	Lighter than 10YR 8/3
166	1583-2-11	1583-731-460	16	Stemmed bowl FS 304	1 piece; 12% rim and upper body, and scar of 1 horizontal loop handle; wear over surfaces	Diam. (rim) 19	Solidly painted in and out	Red	Fine	2.5YR 8/4-7/2	N/A
167	1588-2-48	1588-732-462	16	Stemmed bowl FS 304	2 joining pieces; 20% rim and upper body, and 1 horizontal loop handle	Diam. (rim) 13	Solidly painted in and out	Brown	Fine	Redder than 10YR 7/4	N/A
168	1555-2-2	1555-732-460	16	Stemmed bowl FS 304	3 joining pieces; 60% base, all stem, and small part of lower body; slight traces of burning out	Max. p.H. 4.9; Diam. (base) 8.5	Solidly painted in and out	Red	Fine	10YR 6/4	N/A
169	1557-2-5	1557-732-460	16	Stemmed bowl FS 304	1 piece; 80% base, all stem, and part of lower body; burned on 1 side out	Max. p.H. 4.6; Diam. (base) 7.1	Solidly painted in and out; polished in	Reddish brown to orange	Fine	2.5Y 7/2	Close to 5Y 8/3
170	1582-2-4	1582-729-461 1582-730-460 1582-729-460	16	Stemmed bowl FS 304	17 joining pieces; 10% base, all stem, and 30% lower body; burned over much of surface	Max. p.H. 10.2; Diam. (base) 7-8	Solidly painted in and out; thin reserved area on edge of base; polished in and out	Brown	Fine	Lighter than 2.5Y 7/2	N/A

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
171	1584-2-37	1584-732-461	16	Stemmed bowl FS 304	4 joining pieces; 95% base and small part of lower body; very heavy wear on base floor	Max. p.H. 6.4; Diam. (base) 9.1	Solidly painted in and out; polished in and out	Dark brown to red	Fine	10YR 7/4	10YR 8/3
172	1588-2-14	1588-731-461	16	Stemmed bowl FS 304	13 pieces mended into 2; 70% base, complete stem, and 20% lower body; floor worn	Max. p.H. 8.1; Diam. (base) 7.75	Solidly painted in and out	Red	Fine	5YR 7/6	N/A
173	1584-2-50	1584-729-462	16	Bowl	1 piece; 15% rim; wear on lip	Diam. (rim) 15	Solidly painted in and out; polished in and out	Red to dark brown	Fine	5YR 6/6	N/A
174	1588-2-17	1584-731-462 1588-731-462	16	Bowl	10 joining pieces mended into 2; 45% rim and upper body; wear on lip.	Diam. (rim) 13	Solidly painted in and out	Red	Fine	5YR 7/6	N/A
175	1588-2-69	1588-732-461	16	Uncertain shape, probably Cycladic	1 piece; small part of body; heavily burned on interior	Max. p.dim. 5.7	Uncertain pattern on white slip	Red	Medium-coarse; sandy white, gritty dark, and very many small silvery	2.5YR 5/8-4/8	N/A
176	1584-2-7	1584-730-459	17	Piriform jar	20 joining pieces; complete base and 50% lower body	Max. p.H. 9.7; Diam. (base) 4.9	N/A	N/A	Fine	10YR 7/4	2.5Y 8/2
177	1584-2-54	1584-729-461 1584-730-461	17	Piriform jar	4 joining pieces; 40% shoulder and 1 vertical strap handle	Diam. (max.) 12-13	N/A	N/A	Fine	2.5YR 5/8	7.5YR 8/4-7/4
178	1589-2-16	N/A	17	Piriform jar	1 piece; complete base except few chips and part of lower body	Max. p.H. 4.4; Diam. (base) 5.2	N/A	N/A	Fine	10YR 7/2	2.5Y 8/2
179	1588-2-5	1588-731-461 1588-732-461	17	Piriform jar	15 pieces mended into 3; complete base, 60% body, small part of shoulder, and part of vertical strap handle	Max. p.H. 18.6; Diam. (base) 5.95; Diam. (max.) 18	N/A	N/A	Fine	5YR 7/4	2.5Y 8/2
180	1588-2-55	1588-732-462	17	Amphora FS 70	6 joining pieces and 1 nonjoining handle; 15%-20% rim and neck, small part of shoulder, stump of 1 vertical loop handle and nonjoining section of other handle	Diam. (rim) 15	N/A	N/A	Fine	5YR 7/4	2.5Y 8/2
181	1584-2-40	1584-732-461	17	Amphora FS 70	24 pieces mended into 6; 25% rim, small part of neck, 25% shoulder, 1 complete vertical loop handle and scar of other	Diam. (rim) 11-12	N/A	N/A	Fine	10YR 7/4	Darker than 5Y 8/2
182	1584-2-20	1584-729-461 1589 1584-730-462 1588-732-461	17	Amphora FS 69	81 pieces mended into 37; 50% rim and neck, 30% shoulder, 50% base, and both handles	Diam. (rim) 11; Diam. (base) 7.5	N/A	N/A	Medium-coarse	7.5YR 7/6	Yellower than 10YR 8/4
183	1584-2-95	1584-731-462	17	Jug/amphora/hydria	1 piece; 10% rim and 20% neck	Diam. (rim) 14	N/A	N/A	Medium-coarse	10YR 7/3	5Y 8/2
184	1584-2-120	1584-732-462	17	Jug/amphora/hydria	1 piece; 8% rim, 15%-20% neck, and scar of 1 vertical loop handle	Diam. (rim) 11	N/A	N/A	Fine	10YR 7/4	2.5Y 8/2
185	1582-2-16	1582-729-460	17	Jug/amphora/hydria	6 pieces mended into 2; 40% rim and neck	Diam. (rim) 12.5	N/A	N/A	Fine	10YR 7/4-6/4	7.5YR 8/3-10YR 8/4
186	1589-2-4	N/A	17	Jug/amphora/hydria	14 pieces mended into 5; complete base and 30% lower body	Max. p.H. 9.0; Diam. (base) 7.4	N/A	N/A	Fine	5YR 7/6	Redder than 10YR 8/3 (out); close to 7.5YR 7/6 (in)
187	1584-2-81	1584-732-462	17	Jug/amphora/hydria	4 joining pieces; 50% base and small part of lower body	Max. p.H. 4.7; Diam. (base) 8.0	N/A	N/A	Fine	5YR 6/6	10YR 8/3
188	1587-2-9	1587-732-462 1588-731-462 1588-731-461	18	Probably jug FS 105	86 pieces mended into 23; 25% base, 25% body, and 40% neck	Max. p.H. 30.5; Diam. (base) 8; Diam. (max.) 33-35	N/A	N/A	Medium-coarse	Close to 5Y 7/2	5Y 8/2
189	1584-2-74	1584-732-461	18	Jug/amphora/hydria	1 piece; 10% rim and 20% neck; worn on rim	Diam. (rim) 14	N/A	N/A	Fine	10YR 5/4	Close to 7.5YR 8/4
190	1580-2-12	1580-730-462	18	Jug/amphora/hydria	2 joining pieces; 30% rim and neck	Diam. (rim) 11	N/A	N/A	Fine	Redder than 10YR 7/4	10YR 8/3
191	1584-2-68	1584-732-462	18	Jug FS 109	2 joining pieces; 25% rim and neck	Diam. (rim) 10	N/A	N/A	Fine	5YR 7/6	2.5Y 8/2
192	1584-2-86	1584-731-461	18	Jug FS 109	1 piece; 10% rim and stump of vertical loop handle	Diam. (rim) 10	N/A	N/A	Fine	5Y 8/1	Lighter than 5Y 8/2

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
193	1584-2-106	1584-729-461	18	Jug FS 109	6 joining pieces; 10% rim and neck, and stump of vertical loop handle	Diam. (rim) 9	N/A	N/A	Fine	10YR 7/4	2.5Y 8/2
194	1584-2-16 + 1584-2-85	1584-730-461 1584-731-461 1584-732-461	18	Jug FS 109	31 joining pieces; small part rim, 60% neck, 80% shoulder, and vertical loop handle	Diam. (rim) 11; Diam. (max.) 20	N/A	N/A	Fine	10YR 5/3	5Y 8/2
195	1581-2-4	1581-731-462 1588-731-461 1588-731-462	18	Jug FS 109	10 joining pieces; 50% base, 40% body, and small part of neck; worn on edge of base	Max. p.H. 14.6; Diam. (base) 5.85	N/A	N/A	Fine	10YR 6/3	2.5Y 8/2
196	1588-2-36	1588-731-461 1588-732-461	18	Probably jug FS 109	12 joining pieces; 75% base and 40% of lower body	Max. p.H. 8.0; Diam. (base) 6.8	N/A	N/A	Fine	2.5Y 7/4-10YR 7/4	2.5Y 8/2
197	1588-2-6	1588-732-461 1588-731-461	18	Stirrup jug FS 150 or FS 151	6 joining pieces; complete rim and neck, 25% shoulder, and scars of two vertical handles	Diam. (max.) 10	N/A	N/A	Fine	7.5YR 7/6-6/6	7.5YR 8/4
198	1582-2-15	1582-729-460	19	Conical cup FS 204	1 piece; 20% rim and small part of body; burned on part of rim	Diam. (rim) 11	N/A	N/A	Fine	Close to 5YR 6/6	7.5YR 8/4
199	1583-2-18	1583-730-459	19	Conical cup FS 204	1 piece; 15% rim	Diam. (rim) 11-12	N/A	N/A	Fine	5YR 6/6	7.5YR 7/6
200	1587-2-4	1587-732-462	19	Conical cup FS 204	5 joining pieces; complete profile, including 80% base, and 30% rim and body; white residue on floor	H. 4.2; Diam. (rim) 10.0-10.5; Diam. (base) 3.5	N/A	N/A	Fine	5YR 7/6	Redder than 5YR 7/8
201	1588-2-21	1588-731-462	19	Conical cup FS 204	10 joining pieces; 45% rim and body, and small part of base edge; slight burning on body	H. 5.2; Diam. (rim) 9.0; Diam. (base) 3.8	N/A	N/A	Fine	5YR 7/6	7.5YR 7/6
202	1588-2-44	1588-732-462	19	Cup (FS 219/220 or FS 222)	6 joining pieces; complete profile except handle, including 15% rim, 20% body, and complete base	H. 5.4; Diam. (rim) 12-13; Diam. (base) 3.7	N/A	N/A	Fine	10YR 7/3	2.5Y 8/2
203	1588-2-62	1588-732-462	19	Cup (FS 219/220 or FS 222)	5 joining pieces; 70% base and 30% body; worn on surfaces	Max. p.H. 3.6; Diam. (base) 3.9	N/A	N/A	Fine	7.5YR 7/4-7/6	Redder than 10YR 8/4
204	1554-2-7	1554-732-461	19	Cup/bowl	3 joining pieces; 20% rim and upper body; worn	Diam. (rim) 12	N/A	N/A	Fine	Darker than 2.5Y 8/2	5Y 8/2
205	1582-2-12	1582-729-459	19	Dipper FS 236	3 joining pieces; 15% rim, small part body, and part of high-slung strap handle; worn	Diam. (rim) 9	N/A	N/A	Fine	7.5YR 7/6-10YR 7/6	Redder than 7.5YR 7/4
206	1583-2-2	1583-730-460	19	Dipper FS 236	4 joining pieces; complete profile except handle, including 100% base, 50% rim, 70% body, and scar of handle; burned on rim	Max. p.H. 6.9; Diam. (rim) 11.1; Diam. (base) 2.3	N/A	N/A	Fine	7.5YR 7/4	10YR 8/3
207	1584-2-35	1584-730-462 1584-731-461 1584-731-462	19	Dipper FS 236	20 joining pieces; 25% rim, 50% body, nearly complete base except center of floor	H. 6.9; Diam. (rim) 10-11; Diam. (base) 3.8	N/A	N/A	Fine	2.5Y 7/4-7/2	2.5Y 8/2
208	1584-2-55	1584-731-462	19	Dipper FS 236	8 joining pieces; complete profile except base floor, including 30% rim, 30% body, and 25% base	H. 6.9; Diam. (rim) 11; Diam. (base) 4	N/A	N/A	Fine	7.5YR 6/6	10YR 8/3-8/2
209	1588-2-7	1588-732-461	19	Dipper FS 236	9 joining pieces; 25% rim and body, and small part of base; worn on lip	Diam. (rim) 11	N/A	N/A	Fine	5YR 7/6-6/6	7.5YR 8/4
210	1588-2-54	1588-732-462	19	Dipper FS 236	11 joining pieces; 7% rim and 25% body; heavily worn on surfaces	Diam. (rim) 10-11	N/A	N/A	Fine	5YR 6/6	Worn
211	1583-2-15	1583-730-462	20	Krater	1 piece; 10% rim and scar of horizontal loop handle	Diam. (rim) 21-23	N/A	N/A	Fine	Lighter than 5Y 7/2	5Y 8/2
212	1589-2-12	N/A	20	Krater?	1 piece; 7% rim	Diam. (rim) 28	N/A	N/A	Fine	5YR 7/6	2.5Y 8/2
213	1559-2-9	1559-732-460	20	Kylix FS 264	4 joining pieces; less than 5% rim and 20% of body	Diam. (rim) 18	N/A	N/A	Fine	5YR 7/6	10YR 8/3
214	1581-2-8	1581-731-461	20	Kylix FS 264	4 joining pieces; 8% rim, 25% body, and stump of vertical strap handle	Diam. (rim) 17	N/A	N/A	Fine	Redder than 5YR 7/6	10YR 8/2
215	1582-2-11	1582-729-459	20	Kylix FS 264	1 piece; 15% rim, 20% body, and trace of vertical strap handle	Diam. (rim) 14	N/A	N/A	Fine	2.5Y 7/4	10YR 8/2-2.5Y 8/2
216	1583-2-13	1583-730-462	20	Kylix	3 joining pieces; ca. 20% rim and upper body	Diam. (rim) 13	N/A	N/A	Fine	5YR 7/6	10YR 8/4-7/4

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
217	1582-2-10	1582-729-460 1582-729-459	20	Kylix (FS 264?)	8 joining pieces; 20% rim, small part of body, and 1 vertical strap handle	Diam. (rim) 24 (may be distorted)	N/A	N/A	Fine	Redder than 7.5YR 6/6	10YR 8/3
218	1588-2-15	1588-731-461	20	Kylix FS 264	22 pieces mended into 2; 75% rim and body, and stumps of both vertical strap handles; slight wear on lip	Diam. (rim) 16.3	N/A	N/A	Fine	10YR 6/4	2.5Y 8/2
219	1588-2-49	1588-732-462	20	Kylix FS 264	7 joining pieces; 25% rim, 30% body, and 1 vertical strap handle	Diam. (rim) 11-12	N/A	N/A	Fine	5YR 6/6	10YR 8/4
220	1588-2-57	1588-731-461	20	Kylix FS 264	2 joining pieces; 20%–25% rim and 10%–15% body	Diam. (rim) 16–17	N/A	N/A	Fine	2.5Y 7/4	2.5Y 8/2
221	1588-2-63	1588-731-461 1588-732-461	20	Kylix/goblet	5 joining pieces; 20% rim and upper body	Diam. (rim) 18	N/A	N/A	Fine	Darker than 5Y 8/1	5Y 8/2
222	1588-2-33	1588-731-462 1588-732-462	20	Cup/kylix	4 joining pieces; 25% rim and upper body	Diam. (rim) 12	N/A	N/A	Fine	5YR 7/6	10YR 8/3
223	1589-2-14	N/A	20	Kylix FS 264/266	24 joining pieces; 75% rim, 80%–90% body, top of stem, 1 complete vertical strap handle and stump of other	Diam. (rim) 13.3	N/A	N/A	Fine	Close to 5Y 7/3	10YR 8/4–7/4
224	1559-2-4	1559-732-459	21	Kylix FS 264/266	15 joining pieces; 100% rim, 95% body, top of stem, 1 complete vertical strap handle and stumps of other; burned on 1 side and worn on floor	Max. p.H. 7.9; Diam. (rim) 11.7–12.1	N/A	N/A	Fine	5YR 7/6	7.5YR 8/4
225	1583-2-12	1583-731-460	21	Kylix FS 266	3 joining pieces; 30% rim and 1 vertical strap handle	Diam. (rim) 13	N/A	N/A	Fine	5YR 6/8	5YR 7/4
226	1584-2-82	1584-732-462	21	Kylix FS 266	2 joining pieces; 10% rim and 1 handle; worn on rim	Diam. (rim) 11–12	N/A	N/A	Fine	7.5YR 6/6	Lighter than 7.5YR 7/6
227	1588-2-50	1588-732-462	21	Kylix FS 266	15 joining pieces; 35% rim, 30% body, most of stem, and 1 vertical strap handle	Diam. (rim) 12–13	N/A	N/A	Fine	7.5YR 7/4	7.5YR 8/4
228	1584-2-14	1584-731-461	21	Kylix FS 264/266	21 joining pieces; 95% rim, 90% body, both vertical strap handles, and top of stem	Diam. (rim) 12.5–13.0	N/A	N/A	Fine	2.5Y 7/2–7/4	5Y 8/2
229	1587-2-3	1587-732-462 1588-732-462	21	Kylix with high-swung handles FS 272	7 joining pieces; 30% rim and body, and nearly all of 1 vertical strap handle; worn on lip	Diam. (rim) 13	N/A	N/A	Fine	5YR 7/6	7.5YR 8/4
230	1557-2-2	1557-732-460	21	Kylix with high-swung handles FS 272	2 joining pieces; 30% rim, 40% body, top of stem and part of 1 vertical strap handle	Diam. (rim) 8	N/A	N/A	Fine	5YR 7/6	Darker than 10YR 8/3
231	1556-2-2	1556-732-461 1581-730-460 1583-729-460	21	Kylix FS 269	17 joining pieces; 75% rim, 80% body, complete stem, 40% base, 1 complete strap handle and stump of other	H. 12.1; Diam. (rim) 13.0–13.5; Diam. (base) 6.4	N/A	N/A	Fine	7.5YR 6/4	10YR 8/3
232	1589-2-18	N/A	21	Goblet	5 pieces mended into 2; 10% rim and body; worn on lip	Diam. (rim) 15	N/A	N/A	Fine	5YR 6/6	7.5YR 7/4–5YR 7/4
233	1558-2-2	1558-732-460	21	Goblet	11 joining pieces; 5% rim and upper body, lower scar of vertical strap handle	Diam. (rim) 23	N/A	N/A	Fine	7.5YR 7/4	2.5Y 7/2 (out); 10YR 7/4 (in)
234	1552-2-2	1552-732-461	22	Angular kylix FS 267	8 joining pieces; 60% rim, 80% body, top of stem, and stump of vertical strap handle; heavy wear out	Max. p.H. 7.5; Diam. (rim) 11.5	N/A	N/A	Fine	5YR 7/6	5YR 8/4–7/4
235	1554-2-4	1554-732-461	22	Angular kylix FS 267	9 joining pieces and 4 nonjoining pieces; 25% rim, 50% body, and most of stem	Max. p.H. 9.7; Diam. (rim) 10.4	N/A	N/A	Fine	10YR 7/3	10YR 8/2
236	1554-2-5	1554-732-461	22	Angular kylix FS 267	5 joining pieces; 25% rim and body, 1 vertical strap handle	Diam. (rim) 14	N/A	N/A	Fine	10YR 7/4	Lighter than 5YR 7/4
237	1582-2-3	1582-730-460 1582-729-459	22	Angular kylix FS 267	9 joining pieces; 90% rim and 40% lower body	Diam. (rim) 10.3	N/A	N/A	Fine	10YR 7/4	2.5Y 8/2–8/4
238	1583-2-4	1583-730-462	22	Angular kylix FS 267	8 joining pieces; 30% rim, 70% lower body, top of stem, and vertical strap handle	Diam. (rim) 11	N/A	N/A	Fine	5Y 7/3	5Y8/2–8/3

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
239	1583-2-9	1583-731-461	22	Angular kylix FS 267	4 joining pieces; 30% rim and scar of handle	Diam. (rim) 11-12	N/A	N/A	Fine	10YR 7/4-7/6	10YR 8/3
240	1584-2-28	1584-730-462	22	Angular kylix FS 267	7 joining pieces; 25% rim, ca. 50% body, top of stem and lower stump of vertical strap handle	Diam. (rim) 11	N/A	N/A	Fine	2.5Y 7/4	2.5Y 8/2
241	1584-2-29	1584-730-462	22	Angular kylix FS 267	14 joining pieces; 35% rim, 50% body, complete stem and base, and vertical strap handle; overfired and some vitrification	H. 10.2; Diam. (rim) 11; Diam. (base) 4.9	N/A	N/A	Fine	5Y 6/4	5Y 8/2
242	1584-2-33	1584-729-460	22	Angular kylix FS 267	4 joining pieces; complete profile except handle, including 45% rim and body, complete stem, and 50% base	H. 8.8; Diam. (rim) 9.7; Diam. (base) 5.4	N/A	N/A	Fine	2.5YR 6/6	7.5YR 7/6
243	1584-2-34	1584-732-461	22	Angular kylix FS 267	18 joining pieces; nearly complete rim, ca. 30% body, and part of handle	Diam. (rim) 14.0-14.3	N/A	N/A	Fine	Lighter than 10YR 7/3	10YR 8/3
244	1584-2-64	1584-732-462	22	Angular kylix FS 267	3 joining pieces; 20% rim and upper body	Diam. (rim) 12	N/A	N/A	Fine	Redder than 7.5YR 7/6	10YR 8/3
245	1584-2-57	1584-732-461	22	Angular kylix FS 267	7 joining pieces; 50% rim and body, and top of stem	Diam. (rim) 10-11	N/A	N/A	Fine	10YR 7/4	10YR 8/3-8/2
246	1584-2-63	1584-732-462	22	Angular kylix FS 267	2 joining pieces; 15% rim, ca. 20% body, and lower stump of vertical strap handle	Diam. (rim) 10-11	N/A	N/A	Fine	5YR 6/6	10YR 8/3
247	1584-2-65	1584-732-462	22	Angular kylix FS 267	5 joining pieces; 50% rim and body	Diam. (rim) 11.4	N/A	N/A	Fine	7.5YR 7/4	10YR 8/3-8/2
248	1584-2-66	1584-732-462	22	Angular kylix FS 267	4 joining pieces; 25% rim and 10% body	Diam. (rim) 11	N/A	N/A	Fine	10YR 7/4	10YR 8/2
249	1584-2-67	1584-732-462	22	Angular kylix FS 267	1 piece; 10% rim and 1 vertical strap handle	Diam. (rim) 11	N/A	N/A	Fine	7.5YR 7/4-7/6	10YR 8/3
250	1584-2-80	1584-732-461	22	Angular kylix FS 267	4 joining pieces; 25% rim and 15% body	Diam. (rim) 11	N/A	N/A	Fine	Redder than 10YR 7/3	10YR 8/3-2.5Y 8/4
251	1584-2-92	1584-731-462	22	Angular kylix FS 267	3 joining pieces; 25% rim and 20% body	Diam. (rim) 9-10	N/A	N/A	Fine	10YR 7/3	Darker than 2.5Y 8/2
252	1584-2-97	1584-731-462	22	Angular kylix FS 267	3 joining pieces; 20% rim and 10%-15% body	Diam. (rim) 10-11	N/A	N/A	Fine	10YR 7/4	10YR 8/3
253	1584-2-107	1584-729-462	22	Angular kylix FS 267	3 joining pieces; 50% rim and stump of vertical strap handle	Diam. (rim) 10.7	N/A	N/A	Fine	10YR 7/4	2.5Y 8/2
254	1584-2-119	1584-730-462	22	Angular kylix FS 267	4 joining pieces; 15% rim and body	Diam. (rim) 11	N/A	N/A	Fine	10YR 6/4-7.5YR 6/4	10YR 8/3
255	1588-2-11	1588-732-461	23	Angular kylix FS 267	9 joining pieces; 75% rim and body, and 50% of stem	Diam. (rim) 10.4	N/A	N/A	Fine	5YR 7/6	10YR 8/3
256	1588-2-25	1588-732-462	23	Angular kylix FS 267	15 pieces mended into 4; complete profile; including 65% rim and body, complete stem, 25% base, and vertical strap handle	H. 10.2; Diam. (rim) 11.3; Diam. (base) 5.0-5.5	N/A	N/A	Fine	5YR 6/4	5Y 7/3
257	1588-2-30	1588-731-462 1588-732-461	23	Angular kylix FS 267	11 joining pieces; 50% body and rim, complete stem, 90% base, and stumps of vertical strap handle	H. 9.1-10.0; Diam. (rim) 11.1; Diam. (base) 5.05	N/A	N/A	Fine	Redder than 5YR 7/6	Whiter than 10YR 8/3
258	1588-2-39	1588-732-461	23	Angular kylix FS 267	10 joining pieces; 40% rim, 20% body, top of stem, and vertical strap handle	Diam. (rim) 11	N/A	N/A	Fine	7.5YR 6/6	7.5YR 6/6
259	1588-2-31	1588-731-462	23	Angular kylix FS 267	4 joining pieces; 20% rim, 25% body, and top of stem	Diam. (rim) 11	N/A	N/A	Fine	10YR 7/4	10YR 8/3
260	1588-2-59	1588-731-462	23	Angular kylix FS 267	7 joining pieces; 30% rim, small part of body, and stump of 1 handle	Diam. (rim) 11	N/A	N/A	Fine	5YR 7/4-7/6	10YR 8/3
261	1589-2-9	N/A	23	Angular kylix FS 267	5 joining pieces; 25% rim and 20% body	Diam. (rim) 10	N/A	N/A	Fine	10YR 7/4	2.5Y 8/2-10YR 8/2
262	1589-2-11	N/A	23	Angular kylix FS 267	8 joining pieces; complete profile, including 40% rim, 25% body, complete stem, 90% base, and vertical strap handle	H. 10.1; Diam. (rim) 10.5; Diam. (base) 5.7	N/A	N/A	Fine	5YR 7/6	7.5YR 8/4-10YR 8/3
263	1584-2-62	1584-732-462	23	Kylix, probably FS 267	1 piece; complete base and stem, and small part of lower body	Max. p.H. 6.1; Diam. (base) 6.95	N/A	N/A	Fine	5YR 7/4-7/6	10YR 8/3-8/4
264	1584-2-110	1584-730-462	23	Kylix, probably FS 267	1 piece; complete base and stem, and small part of lower body	Max. p.H. 6.7; Diam. (base) 5.65	N/A	N/A	Fine	5YR 7/6-7/4	Redder than 10YR 8/4
265	1588-2-53	1588-732-462	23	Kylix, probably FS 267	6 joining pieces; 60%-70% base, all stem, and part of lower body; worn on surfaces	Max. p.H. 7.3; Diam. (base) 5.5	N/A	N/A	Fine	5YR 7/6	Lighter than 7.5YR 7/6

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
266	1588-2-22	1588-731-462	24	Basin (FS 294?)	4 joining pieces; 5%–10% rim, small part upper body, and part of 1 horizontal strap handle	Diam. (rim) ca. 28	N/A	N/A	Fine	10YR 7/3	10YR 8/3
267	1552-2-3	1552-732-461 1583-731-461	24	Basin	5 pieces mended into 2; 20%–25% rim and upper body; heavy wear out	Diam. (rim) ca. 33; note warping of rim	N/A	N/A	Fine	7.5YR 7/4	Redder than 10YR 8/3
268	1556-2-4	1556-732-460	24	Shallow angular bowl FS 295	2 joining pieces; 25% rim and upper body	Diam. (rim) 22	N/A	N/A	Fine	10YR 7/3	10YR 8/2
269	1558-2-1	1558-732-460	24	Shallow angular bowl FS 295	21 joining pieces; complete profile except handles, including 90% base, 50% body, 40% rim, stumps of 1 horizontal strap handle; heavily burned on 1 side	Max. p.H. 6.0; Diam. (rim) 16; Diam. (base) 5.25	N/A	N/A	Fine	Close to 5Y 7/2	2.5Y 8/2
270	1583-2-1	1583-730-459	24	Shallow angular bowl FS 295	9 joining pieces; complete profile and ca. 50% complete vessel, including 1 horizontal strap handle	H. 6.8; Diam. (rim) 21.0; Diam. (base) 5.5	N/A	N/A	Fine	Redder than 5YR 7/6	10YR 8/2
271	1584-2-21	1584-729-462	24	Shallow angular bowl FS 295	9 joining pieces; 25% rim and upper body, and stump of horizontal strap handle	Diam. (rim) 17	N/A	N/A	Fine	7.5YR 7/4	7.5YR 8/4
272	1584-2-103	1584-730-459	24	Shallow angular bowl FS 295	1 piece; 13% rim, small part of upper body, and 1 horizontal strap handle	Diam. (rim) 17	N/A	N/A	Fine	Redder than 10YR 7/4	10YR 8/3
273	1584-2-98	1584-730-462	24	Shallow angular bowl FS 295	2 joining pieces; 10% rim and upper body; light wear on rim	Diam. (rim) 20	N/A	N/A	Fine	5YR 7/6	10YR 8/4
274	1588-2-40	1588-731-461 1588-731-462 1588-732-461 1588-732-462	24	Shallow angular bowl FS 295	14 pieces mended into 5; near-complete profile except base floor; including 60%–70% rim, 10%–15% body, 20% base edge, and half of horizontal strap handle	H. 7.8; Diam. (rim) 19; Diam. (base) 5	N/A	N/A	Fine	7.5YR 7/4	10YR 8/3 (in); 2.5Y 8/2 (out)
275	1588-2-35	1588-732-461	24	Shallow angular bowl FS 295	1 piece; 50% base and 25% body	Max. p.H. 6.7; Diam. (base) 4.9	N/A	N/A	Fine	Redder than 7.5YR 7/3	2.5Y 8/2
276	1559-2-7	1559-732-460	24	Shallow angular bowl FS 295	1 piece; 7% rim and small part body	Diam. (rim) 23	N/A	N/A	Fine	5YR 7/3	2.5Y 8/2
277	1584-2-108	1584-731-461 1584-732-462	24	Shallow angular bowl FS 295	7 joining pieces; 30% rim	Diam. (rim) 20	N/A	N/A	Fine	5YR 7/6	10YR 8/3
278	1588-2-45	1588-731-462 1588-732-462	24	Shallow angular bowl FS 295	14 pieces mended into 6; 60%–70% rim and small part of lower body	Diam. (rim) 16	N/A	N/A	Fine	2.5Y 7/4–8/4	5Y 8/2
279	1582-2-7	1582-729-459 1582-729-460	25	Tripod cooking pot FS 320	8 joining pieces; 10% rim, 20% body, top of 1 leg, and 1 vertical loop handle; burned	Max. p.H. 10.5; Diam. (rim) 12; W. (leg) 2.45; Th. (leg) 1.3	N/A	N/A	Medium-coarse	7.5YR 5/4–4/4	7.5YR 6/6
280	1588-2-43	1588-732-461	25	Probably tripod cooking pot FS 320	3 joining pieces; 20% rim, small part body, and 1 vertical loop handle	Diam. (rim) 10–11	N/A	N/A	Coarse	2.5YR 6/8	Redder than 7.5YR 7/4
281	1582-2-18	1582-729-460	25	Tripod cooking pot FS 320	1 piece; lower portion of leg; burned	Max. p.L. 4.6; W. 2.7; Th. 2.8	N/A	N/A	Medium-coarse	N/A	7.5YR 7/4–7/6
282	1588-2-67	1588-731-461	25	Tripod cooking pot FS 320	5 joining pieces; 30% lower body and stumps of 2 legs; burned in and out	Diam. (max.) 16–17	N/A	N/A	Medium-coarse	2.5YR 4/6	5YR 7/6
283	1584-2-23	1584-2-23	25	Tripod cooking pot FS 320	7 joining pieces; complete base, 25% body, and scar of 1 leg; burned in and out	Max. p.H. 8.2; Diam. (base) 2.7	N/A	N/A	Medium-coarse	10YR 4/2–3/2	2.5YR 6/6–5/6
284	1588-2-32	1588-732-461 1588-732-462	25	Tripod cooking pot FS 320	4 joining pieces; 2 legs and part of lower body; burned out	Diam. (max.) 10–11; max. p.L. (leg) 6.5	N/A	N/A	Coarse	10YR 3/2–3/4	7.5YR 7/6–6/6
285	1588-2-66	1588-731-461 1588-731-462	25	Probably tripod cooking pot FS 320	6 joining pieces; 12% rim and 15% upper body; burned in and out	Diam. (rim) 14–15	N/A	N/A	Medium-coarse	5YR 4/4–5/6	5YR 5/6
286	1584-2-39	1584-732-461	25	Cooking jar FS 65	1 piece; 7% rim, 10% body, and complete vertical loop handle; mottled burning out	Diam. (rim) 10–12	N/A	N/A	Medium-coarse	2.5YR 5/8–4/8	2.5YR 6/6

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
287	1588-2-68	1588-731-461	25	Cooking jar FS 65	3 joining pieces; 25% rim and small part of shoulder; burned in and out	Diam. (rim) 10–11	N/A	N/A	Medium-coarse	Close to 5YR 5/6	N/A
288	1584-2-94	1584-731-461	25	Cooking jar FS 65	1 piece; 5% rim and part of vertical loop handle; traces of burning on rim	Diam. (rim) ca. 30 (probably warped)	N/A	N/A	Medium-coarse	2.5YR 5/8	2.5YR 6/6–6/8
289	1554-2-12	1554-732-461	25	Aiginetan cooking jar	1 piece; 6% rim; burned in and out	Diam. (rim) 14	N/A	N/A	Medium-coarse; numerous small sparkling and some gold mica	10YR 3/1–3/2	Completely burned
290	1588-2-51	1588-732-461	25	Aiginetan cooking jar	1 piece; complete base except chips from edge	Max. p.H. 5.7; Diam. (base) 10.0	N/A	N/A	Medium-coarse; numerous small silver and black sparkling and some gold mica	10YR 4/2–3/2	5YR 7/3
291	1584-2-32	1584-732-461	25	Cooking jar	4 joining pieces; 90% disk base with incised potmark on underside and very small part of lower body; heavily burned in	Max. p.H. 2.3; Diam. (base) 7.2	N/A	N/A	Medium-coarse	10YR 4/3–4/2	Redder than 5YR 6/6
292	1589-2-3	N/A	25	Aiginetan cooking jar	1 piece preserving complete base except chips from edge; base edge potmarked with 3 incised strokes	Max. p.H. 3.0; Diam. (base) 7.75	N/A	N/A	Medium-coarse; sandy white, angular dark, small silvery and some gold mica	10YR 5/2	Close to 5YR 6/3
293	1536-2-2	1536-731-459	26	Similar to small “orange” jar FS 67	2 joining pieces; 7% rim and upper body	Diam. (rim) 14.5	N/A	N/A	Medium-coarse	5YR 5/6	10YR 8/4–7/4 (out); 2.5YR 6/6 (in)
294	1540-2-1	1540-732-459	26	Similar to small “orange” jar FS 67	1 piece; 20% rim and upper body; traces of burning out	Diam. (rim) 13	N/A	N/A	Medium-coarse	10YR 5/2–6/2	7.5YR 7/4
295	1554-2-9	1554-732-461	26	Similar to small “orange” jar FS 67	3 pieces mended into 2; complete base and small part of lower body	Max. p.H. 4.1; Diam. (base) 5.45	N/A	N/A	Medium-coarse	10YR 5/4	5YR 6/8–5/8
296	1554-2-8	1554-732-462 1555-732-461 1556-732-461 1587-732-462	26	Large “orange” jar	57 pieces mended into 39; 25% rim and upper body; 2 horizontal loop handles may belong to this jar	Diam. (rim) 33–34	N/A	N/A	Medium-coarse	10YR 6/1	Lighter than 7.5YR 6/6
297	1584-2-102	1584-730-462	26	Large jar	1 piece; 10% rim	Diam. (rim) 30–35	N/A	N/A	Coarse	10YR 5/4–5YR 6/6	Redder than 5YR 7/6
298	1588-2-56	1588-732-462	26	Large jar	6 joining pieces; less than 5% body and 1 vertical loop handle on shoulder	Diam. (max.) 45–50	N/A	N/A	Medium-coarse	10YR 5/1	7.5YR 7/6–7/4
299	1555-2-5	1555-732-461	26	Large “orange” jar	3 joining pieces; 95% base and small part of lower body	Max. p.H. 5.9; Diam. (base) 8.05	N/A	N/A	Coarse	10YR 6/4	Lighter than 5YR 6/6
300	1584-2-60	1584-730-460	26	Krater	5 joining pieces preserving 15% rim and upper body	Diam. (rim) 22	N/A	N/A	Coarse	10YR 6/1	7.5YR 7/4–6/6
301	1557-2-4	1557-732-460	26	Stirrup jar FS 164	1 piece; false neck and upper stumps of vertical loop handles	Diam. (false neck disk) 5.8	N/A	N/A	Medium-coarse	2.5Y 7/2–6/2	2.5Y 8/3
302	1584-2-115	N/A	26	Large jar	1 piece; 5% rim; plastic and impressed band out	Diam. (rim) 45	N/A	N/A	Coarse	10YR 4/3–4/4	5YR 7/4
303	1583-2-17	1583-729-460	26	Large jar	1 piece; less than 5% rim; plastic and impressed band out	Diam. (rim) 45–50	N/A	N/A	Coarse	10YR 3/3	Close to 2.5YR 6/6
304	1583-2-16	1583-730-459	26	Large jar	1 piece; 7% rim; plastic and impressed band out	Diam. (rim) ca. 50	N/A	N/A	Coarse	7.5YR 5/4–5/6	7.5YR 7/4–7/6
305	1584-2-42	1584-732-462	26	Similar to vat FS 4	1 piece; 5%–10% rim and stump of 1 handle; 3 parallel lines of holes in rim top	Diam. (rim) ca. 40	N/A	N/A	Coarse; seems to have been hand-made	10YR 5/4	7.5YR 8/4
306	1582-2-20	1582-730-460	26	Deep basin	1 piece; 5% rim and stump of 1 handle	Diam. (rim) 25–30	N/A	N/A	Coarse	7.5YR 6/4–7/4	5YR 6/6–5/6

<i>Cat. No.</i>	<i>Inv. No.</i>	<i>SU-SMU</i>	<i>Figure</i>	<i>Shape</i>	<i>Preservation</i>	<i>Dimensions (cm)</i>	<i>Decoration</i>	<i>Paint Color</i>	<i>Fabric Fraction</i>	<i>Fabric Break Color</i>	<i>Fabric Surface Color</i>
307	1589-2-15	N/A	26	Tub, similar to FS 1 bath larnax	1 piece; 5% rim	Diam. (rim) 36–39	N/A	N/A	Medium-coarse	Close to 7.5YR 8/4	2.5Y 8/2–5Y 8/2 (in); 5YR 8/4–7/4 (out)
308	1535-2-9	1535-732-459	26	Conical lid FS 335	1 piece; 7% rim and body	Max. p.H. ca. 5; Diam. (rim) 12–13	N/A	N/A	Medium-coarse	5YR 6/6–6/8	5YR 7/6–6/6
309	1540-2-2	1540-732-459	26	Conical lid FS 335	2 joining pieces; 10% of rim	Diam. (rim) 12	N/A	N/A	Medium-coarse	7.5YR 6/6	7.5YR 7/6
310	1584-2-59	1584-730-459	26	Body sherd recut as lid	1 piece	W. (max.) 7.65; Th. 1.55	N/A	N/A	Coarse	10YR 4/1	7.5YR 6/4
311	1588-2-34	1588-732-461	27	Pithos FS 13	1 piece; 5% rim; heavily worn red paint out	Diam. (rim) 40–45	N/A	N/A	Coarse	10YR 6/2	7.5YR 7/4
312	1583-2-21	1583-730-462	27	Pithos FS 13	1 piece; 5%–10% rim	Diam. (rim) 50–60	N/A	N/A	Coarse	10YR 4/2	5YR 7/6
313	1584-2-105	1584-729-461	27	Pithos FS 13	1 piece; 5% rim	Diam. (rim) 45	N/A	N/A	Coarse	Lighter than 7.5YR 6/6	Redder than 10YR 7/6
314	1584-2-48	1584-730-462	27	Pithos FS 13 or large jar	1 piece; 7% rim; burned on interior	Diam. (rim) 39	N/A	N/A	Coarse; possibly handmade	10YR 4/1	Close to 10YR 6/4
315	1584-2-109	1584-730-462	27	Pithos FS 13 or large jar	1 piece; 5%–10% rim	Diam. (rim) ca. 50	N/A	N/A	Coarse	10YR 5/6–6/4	7.5YR 7/6–10YR 7/6
316	1588-2-38	1588-732-461	27	Pithos FS 13	1 piece; 8% rim and neck	Diam. (rim) 45	N/A	N/A	Coarse	Close to 5YR 6/6	5YR 7/8–6/8
317	1557-2-7	1557-732-461	27	Pithos FS 13	1 piece; 25% base and small part of lower body; burned on underside and along 1 edge	Max. p.H. 6.8; Diam. (base) 17	N/A	N/A	Coarse	Close to 5YR 5/3	Lighter than 7.5YR 7/4
318	1581-2-1	1581-730-460 1581-731-460 1557-732-460 1584-730-460	28	Large “Lady” figurine	20 joining pieces; nearly all base, 80% lower body, 30% of chest, and stumps of arms; some pieces burned	Max. p.H. 17.0; Diam. (base) 8.15; Diam. (waist) 7.1; Diam. (chest) 9.0	Irregular wavy stripes extend vertically from base to band at waist; chest covered with vertical wavy stripes extending to waist; right hand has edges of wavy stripes	Red	Medium-coarse; some large chalky white	Lighter than 5YR 7/4	10YR 8/3
319	1559-2-1	1559-732-460	28	“Breadmaker” figurine	3 joining pieces; 90% throne, 2 complete chair legs and part of another; arms of figure and “bread” being kneaded	Max. p.H. 5.1; max. W. 5.05	Irregular stripes	Brown	Fine	10YR 8/3	2.5Y 7/2
320	1588-2-12	N/A	28	“Breadmaker” figurine	8 pieces mended into 2; 60% throne, top of 1 chair leg; hands of figure and “bread” being kneaded	Max. p.dim. 5.05	Wavy stripes	Brown	Fine	5YR 6/3	10YR 8/3
321	1584-2-1	1584-731-460	28	Phi figurine	1 piece; most of torso, all of stem, but missing edges of base, which seems to have been chipped deliberately	Max. p.H. 5.75; max. W. 3.3	Wavy vertical stripes on front and back; band at waist	Red to reddish brown	Fine	5YR 7/6	7.5YR 8/4
322	1581-2-5	1581-731-461	28	Phi figurine	1 piece; most of torso	Max. p.H. 3.6; W 4.2	Wavy vertical stripes on front and back; horizontal lines on hair	Red to reddish brown	Fine	5YR 6/8	7.5YR 7/4
323	1587-2-1	1587-732-462	28	Phi figurine	1 piece; base and stem of figurine	Max. p.H. 4.3; Diam. (base) 2.65; Diam. (stem) 1.5	Vertical stripes	Red	Fine	N/A	5YR 7/6–6/6
324	1584-2-4	1584-731-460	28	Phi figurine	1 piece; small part of base	Diam. (base) 2	Irregular vertical stripes	Red	Fine	N/A	5YR 7/6–7.5YR 7/4
325	1584-2-27	N/A	28	Quadruped figurine	1 piece; head, but missing tips of horns	Max. p.L. 3.4	Tip of muzzle painted solid; small irregular dots over remainder of surface	Red	Fine	Close to 7.5YR 7/6	7.5YR 7/4
326	1584-2-24	N/A	28	Quadruped figurine	1 piece of body	Max. p.L. 6; Diam. 3	Irregular wavy stripes	Red	Fine	N/A	5YR 6/6
327	1580-2-7	1580-730-461	28	Quadruped figurine	1 piece of body	Max. p.L. 4.95; Diam. 2.2	Wavy stripes	Brown	Fine	10YR 6/4	Redder than 10YR 8/4